# H. L. Worden Co. "Make a Lamp" System

### **Lamp Specifications**

No. Glass Pieces: 120 Glass Needed: 1.4 sq. ft.

Diameter: 7" Height: 4" Aperture: 2" Design Repeats: 8

#### Needed to make this lamp

Pattern Packet No. SC7-1\* MiniForm<sup>TM</sup> No. SC7\*\* Stained Glass 2" Vase Cap\*\*\* Lamp Base or Hanging Hardware to Swag

### **Additional Items Needed**

Basic Supplies Basic Tools

# \*No. SC7-1 Pattern Packet Includes:

- 1 Paper Pattern Sheet
- 1 MagicStrip™ Sheets
- 1 Instructions
- 1 Color Key w/Glass Descriptions

#### \*\*No. SC7 MiniForm<sup>TM</sup>

360° form embossed and numbered to accept glass



placement guides (cartoon)

One Reusable FullForm<sup>TM</sup> is used to make this 8-repeat design




# SC7-1 Art Nouveau

Cartoon Pattern Packet



	Lamp						
100	Color	Key	Desc	ription	Glass T	уре	Sq. Ft.
	N	Backg	ground	Lt. Gre	een Opal	.75	
W.	L,D,	W E	Borders,	Designs	Dk. Gr	een Opa	al .5
	Н	Highli	ghts	Red Cat	hedral	.125	

# MINI FORM CONSTRUCTION TIPS



### MagicStrip<sup>TM</sup> Installation

Center arrow over molded vertical line & leave the space of the molded lines between each strip.

## Foil Wrapping Small Pieces

When foiling small pieces such as flower centers, flower petals, and leaves, it is best to overlap foil on


glass approximately 1/64"; wider foil will cover too much of the glass. The exception is on small pieces at the top of the lamp. These pieces should be wrapped with


Copper foil is easily trimmed. Leave backing on.



at least a  $1/32^{n}$  overlap. Increasing the size of the overlap adds strength to the lamp. If you have foil that is too wide, it can be easily trimmed with scissors, Leave the paper backing in place while trimming. the untrimmed edge is placed on the outside for nice even seams.

# Reinforce Top






to hold wire.


### **Vase Cap Tips**

Center, level and tack solder the vase cap in the aperture opening, and firmly attach with solder seam. Wash and rinse thoroughly. Apply antiquing after vase cap has been installed and all soldering




### **Reinforce Bottom**

To reinforce the bottom edge bend and solder on short pieces of copper wire, cover with solder. Use same gauge wire as at top. Braided wire can also be used; especially around uneven bottom borders.



# **Display Your Lamp**



GlassHouseStore.com **Decatur IL** 





